

NHS Breast Screening Standards
Breast Test Wales, All Wales, 2000-01

Pritchard	Criteria		Actual	Minimum	Target
1	Attend for screening - %	1st Invitation	75.3		
		Prevalent	55.3		
		Incident	87.1		
		All Invited	77.1	≥70	-
2a	Invasive cancer detection rate per 1,000	Prevalent	5.42	≥2.7	≥3.6
		Incident	4.70	≥3.0	≥4.0
2b	Insitu cancer detection rate per 1,000	Prevalent	2.03	≥0.4 - ≤0.9	-
		Incident	1.43	≥0.5 - ≤1.0	-
2c	SDR	Prevalent	1.37	≥0.75	≥1.0
		Incident	1.15		
3	No. of invasive cancers <15mm per 1,000	Prevalent	3.12	≥1.5	≥2.0
		Incident	2.63	≥1.65	≥2.2
7a	Referred for assessment - % of women screened	Prevalent	8.4	<10	<7
		Incident	3.7	<7	<5
7b	Early recall - % of women screened	Prevalent	0.31	<1	≤0.25
		Incident	0.12		
8	Non-operative diagnosis of cancer - %	Prevalent	81.1	≥70	≥90
		Incident	85.3		
9	Benign biopsies per 1,000	Prevalent	3.80	<3.6	<1.8
		Incident	0.49	<2.0	<1.0